






RUBBER | PLASTIC PRODUCTS | OEM PRODUCTS



上海德环实业有限公司
SHANGHAI DEHUAN INDUSTRY CO.,LTD


COMPANY BRIEF INTRODUCTION

DEHUAN Industry was founded in 1999, the headquarters is located in Minhang District, Shanghai City. We are professional rubber products manufacturer, integrated with designing, manufacturing and selling. Our main products include rubber door stops, rubber bumpers, rubber grommets, vibration dampers, seals ect. We could undertake various kinds of rubber molding, customize according to drawings and samples.






LEADING TECHNOLOGY
PERFECT QUALITY CONTROL SYSTEM
PROFESSIONAL SERVICE TEAM



Our Service



Our Quality Control

We have scientific and strict quality control system for every production steps to make sure our products' quality.



CONTENTS

Door Stops.....01-05



Cushion Pad.....06



Chair Tips.....07-08



Crutch Feet.....09



Vibration Mounts.....10-14



Grommets.....15



Truck Bumpers.....16-18



DOOR STOPS



APPLICATIONS: Rubber door stops are mainly used as protectors, to protect Metal or Wood door surface, they can resist vibration, friction from metal to metal or wood to wood. They can also be used as furniture's feet, machine legs' feet etc. Some can be furnished with/without metal washer, depending on customers' requests.

MATERIALS: SBR, Natural Rubber, or Custom materials.
HARDNESS: From 30 to 85 shore A durometer.
COLORS: Black, Grey, Red, Off-white. Custom colors available.
TEMPERATURE RANGE: -60°C to +150°C, Depending on materials.



ROUND RUBBER 20(DIA) X 10(H)
PART#:RP2010DS-A / B
COLOR:.....BLK/WHT
DIAMETER:20 MM
HEIGHT:.....10MM



ROUND RUBBER 25(DIA) X 14(H)
PART#:RP2514DS
COLOR:.....BLK/WHT
DIAMETER:25 MM
HEIGHT:.....14MM



ROUND RUBBER 25(DIA) X 15(H)
PART#:RP2525DS
COLOR:.....BLK/WHT
DIAMETER:25 MM
HEIGHT:.....25MM



ROUND RUBBER 26(DIA) X 29(H)
PART#:RP2629DS
COLOR:.....BLK/WHT
DIAMETER:26 MM
HEIGHT:.....29 MM



ROUND RUBBER 28(DIA) X 25(H)
PART#:RP2825DS
COLOR:.....BLK/WHT
DIAMETER:28 MM
HEIGHT:.....25 MM



ROUND RUBBER 30(DIA) X 25(H)
PART#:RP3025DS-A / B
COLOR:.....BLK/WHT
DIAMETER:30 MM
HEIGHT:.....25 MM



ROUND RUBBER 30(DIA) X 30(H)
PART#:RP3030DS
COLOR:.....BLK/WHT
DIAMETER:30MM
HEIGHT:.....30MM



ROUND RUBBER 30(DIA) X 32(H)
PART#:RP3032DS
COLOR:.....BLK/WHT
DIAMETER:30MM
HEIGHT:.....32MM

DOOR STOPS



ROUND RUBBER 30(DIA) X 35(H)
PART#:RP3035DS-A / B
COLOR:.....BLK/WHT
DIAMETER:30 MM
HEIGHT:.....35 MM



ROUND RUBBER 34(DIA) X 38(H)
PART#:RP3438DS
COLOR:.....BLK/WHT
DIAMETER:34 MM
HEIGHT:.....38 MM



ROUND RUBBER 37(DIA) X 44(H)
PART#:RP3744DS
COLOR:.....BLK/WHT
DIAMETER:37 MM
HEIGHT:.....44 MM



ROUND RUBBER 40(DIA) X 25(H)
PART#:RP4025DS-A / B
COLOR:.....BLK/WHT
DIAMETER:40 MM
HEIGHT:.....25 MM



ROUND RUBBER 40(DIA) X 31(H)
PART#:RP4031DS
COLOR:.....BLK/WHT
DIAMETER:40 MM
HEIGHT:.....31 MM



ROUND RUBBER 64(DIA) X 25(H)
PART#:RP6425DS
COLOR:.....BLK/WHT
DIAMETER:64 MM
HEIGHT:.....25 MM



ROUND RUBBER 40(DIA) X 40(H)
PART#:RP4040DS-A / B
COLOR:.....BLK/WHT
DIAMETER:40 MM
HEIGHT:.....40 MM



ROUND RUBBER 40(DIA) X 35(H)
PART#:RP4035DS
COLOR:.....BLK/WHT
DIAMETER:40 MM
HEIGHT:.....35 MM



ROUND RUBBER 40(DIA) X 75(H)
PART#:RP4075DS
COLOR:.....BLK/WHT
DIAMETER:40MM
HEIGHT:75MM



PLASTIC LUNAR STOP
PART#:RPT0892DS
COLOR:.....WHT
DIAMETER:55 MM
HEIGHT:75 MM



ROUND RUBBER 40(DIA) X 46(H)
PART#:RP4046DS
COLOR:.....BLK/WHT
DIAMETER:40MM
HEIGHT:46MM



ROUND RUBBER 40(DIA) X 50(H)
PART#:RP4050DS-A / B / C
COLOR:.....BLK/WHT
DIAMETER:40MM
HEIGHT:50MM



PLASTIC CUSHION STOP-45MM
PART#:RPT0943DS
COLOR:.....WHT/BGE/BRN/GRY
DIAMETER:35MM
HEIGHT:45MM



PLASTIC CUSHION STOP-63MM
PART#:RPT0946DS
COLOR:.....WHT/BGE/BRN/GRY
DIAMETER:35MM
HEIGHT:63MM



PLASTIC CUSHION STOP-75MM
PART#:RPT0933DS
COLOR:.....WHT/BGE/BRN/GRY
DIAMETER:35MM
HEIGHT:75MM



PLASTIC CUSHION STOP-100MM
PART#:RPT0948DS
COLOR:.....WHT/BGE/BRN/GRY
DIAMETER:35MM
HEIGHT:100MM

PLASTIC DOOR CLIP-LONG
PART#:RPT0931DS
COLOR:.....WHT
LENGTH:70 MM
WIDTH:41 MM
HEIGHT:.....22 MM



PLASTIC DOOR CLIP-SHORT
PART#:RPT0929DS
COLOR:.....WHT
LENGTH:28 MM
WIDTH:28 MM
HEIGHT:.....23 MM

PLASTIC DOOR CLIP-CLIP ONLY PACK OF 2
PART#:RPT0928DS
COLOR:.....WHT
LENGTH:40 MM
WIDTH:26 MM
HEIGHT:.....12 MM




RUBBER WEDGE-EXTRA LARGE
PART#:RPT0911DW
COLOR:.....BLK/WHT/BRN
LENGTH:150 MM
WIDTH:43 MM
HEIGHT:.....51 MM

RUBBER WEDGE-LARGE
PART#:RPT0914DW
COLOR:.....BLK/WHT/BRN
LENGTH:120 MM
WIDTH:44 MM
HEIGHT:.....30 MM



RUBBER WEDGE-SMALL PACK OF 4
 PART#:RPT0924DW
 COLOR:.....BLK/WHT/BRN
 LENGTH:36 MM
 WIDTH:17 MM
 HEIGHT:.....10 MM



RUBBER WEDGE-MEDIUM PACK OF 2
 PART#:RPT0918DW
 COLOR:.....BLK/WHT/BRN
 LENGTH:73 MM
 WIDTH:28 MM
 HEIGHT:.....27 MM

PVC/TPR DOOR WEDGE
 PART#: RP972728DW
 COLOR:.....WHT
 LENTH:.....9.7CM
 WIDE:.....2.7CM
 HEIGHT:..... 2.8CM



TPR DOOR WEDGE
 PART#: RP134527DW
 COLOR:.....GREY
 LENTH:.....13CM
 WIDE:.....4.5CM
 HEIGHT:.....2.7CM

PVC/TPR DOOR WEDGE
 PART#: RP118227DW
 COLOR:.....NAVY/ROSE//YEL/ORA/GRE
 TRANSPARENT
 LENTH:.....11.5CM
 WIDE:.....8.2CM
 HEIGHT:.....2.7CM



CUSHION PAD



APPLICATIONS: The shockproof pad is widely used for machine tools, machinery, furniture, flooring, logistics, etc., which needs shock absorption, vibration reduction, noise reduction and moisture resistance.

MATERIALS: SBR, Natural Rubber, or Custom materials.

HARDNESS: From 30 to 85 shore A durometer.

COLORS: Black, Grey, Red, Off-white. Custom colors available.

TEMPERATURE RANGE: -60°C to +150°C, Depending on materials.



38MM ROUND RUBBER CASTOR CUP
 PART#:RP25667CP
 COLOR:.....BRN/BGE
 SUITS LEG OD:.....37MM
 SIZE:38MM
 PACK QTY:.....4

44MM ROUND RUBBER CASTOR CUP
 PART#:RP25668CP
 COLOR:.....BRN/BGE
 SUITS LEG OD:.....44MM
 SIZE:45MM
 PACK QTY:.....4



41MM SQUARE RUBBER CASTOR CUP
 PART#:RP25669CP
 COLOR:.....BRN/BGE
 SUITS LEG SIZE:.....40X40MM
 SIZE:41MM
 PACK QTY:.....4

51MM SQUARE RUBBER CASTOR CUP
 PART#:RP25670CP
 COLOR:.....BRN/BGE
 SUITS LEG SIZE:.....53X53MM
 SIZE:53.5MM
 PACK QTY:.....4



CHAIR TIPS



APPLICATIONS: Rubber chair tips
Widely used in various steel and wood furniture, metal furniture, fitness equipment, racks, student beds, shelves, computer desks, beach chairs, beauty equipment, household goods manufacturing industry, it has anti-skid, anti-collision, anti-shock and fixed, etc. effect.

MATERIALS: SBR, Natural Rubber, or Custom materials.

HARDNESS: From 30 to 85 shore A durometer.

COLORS: Black, Grey, Red, Off-white. Custom colors available.

TEMPERATURE RANGE: -60°C to +150°C, Depending on materials.



6MM ROUND RUBBER CHAIR TIP
PART#:RCT006
COLOR:.....BLK/WHT
SUITS LEG OD:.....5MM
SIZE:5MM
PACK QTY:.....4



10MM ROUND RUBBER CHAIR TIP
PART#:RCT010
COLOR:.....BLK/WHT
SUITS LEG OD:.....9MM
SIZE:9MM
PACK QTY:.....4



13MM ROUND RUBBER CHAIR TIP
PART#:RCT013
COLOR:.....BLK/WHT
SUITS LEG OD:.....12MM
SIZE:12MM
PACK QTY:.....4



16MM ROUND RUBBER CHAIR TIP
PART#:RCT016
COLOR:.....BLK/WHT
SUITS LEG OD:.....15MM
SIZE:15MM
PACK QTY:.....4



19MM ROUND RUBBER CHAIR TIP
PART#:RCT019
COLOR:.....BLK/WHT
SUITS LEG OD:.....18MM
SIZE:18MM
PACK QTY:.....4



22MM ROUND RUBBER CHAIR TIP
PART#:RCT022
COLOR:.....BLK/WHT
SUITS LEG OD:.....21MM
SIZE:21MM
PACK QTY:.....4



25MM ROUND RUBBER CHAIR TIP
PART#:RCT025
COLOR:.....BLK/WHT
SUITS LEG OD:.....25MM
SIZE:25MM
PACK QTY:.....4



29MM ROUND RUBBER CHAIR TIP
PART#:RCT029
COLOR:.....BLK/WHT
SUITS LEG OD:.....28MM
SIZE:28MM
PACK QTY:.....4

CRUTCH FEET



APPLICATIONS: Rubber crutch feet are mainly used as protectors, to protect all kinds of crutches, they can resist vibration, friction from crutch to the ground.

MATERIALS: TPR, SBR, Natural Rubber, or Custom materials.

HARDNESS: From 30 to 85 shore A durometer.

COLORS: Black, Grey, Red, Off-white. Custom colors available.

TEMPERATURE RANGE: -60°C to +150°C, Depending on materials.

32MM ROUND RUBBER CHAIR TIP
 PART#:RCT032
 COLOR:.....BLK/WHT
 SUITS LEG OD:.....32MM
 SIZE:32MM
 PACK QTY:.....4



35MM ROUND RUBBER CHAIR TIP
 PART#:RCT035
 COLOR:.....BLK/WHT
 SUITS LEG OD:.....34MM
 SIZE:34MM
 PACK QTY:.....4

38MM ROUND RUBBER CHAIR TIP
 PART#:RCT038
 COLOR:.....BLK/WHT
 SUITS LEG OD:.....37MM
 SIZE:37MM
 PACK QTY:.....4



PVC/TPR CHAIR TIP
 PART#: RCT02331/RCT02335
 COLOR:.....TRANSPARENT/COF
 BOTTOM:.....28
 DIAMETER:.....22
 AMONG:.....33/38
 HEIGHT:.....31/35



19MM TPR CRUTCH TIP
PART#:RP001CF
COLOR:.....BLK/GRY/BGE
SUITS LEG OD:.....19MM
SIZE:19MM



22MM TPR CRUTCH TIP
PART#:RP002CF
COLOR:.....BLK/GRY/BGE
SUITS LEG OD:.....22MM
SIZE:22MM



19MM RUBBER CRUTCH TIP
PART#:RP003CF
COLOR:.....BLK/GRY/BGE
SUITS LEG OD:.....19MM
SIZE:19MM



22MM RUBBER CRUTCH TIP
PART#:RP004CF
COLOR:.....BLK/GRY/BGE
SUITS LEG OD:.....22MM
SIZE:22MM



22MM RUBBER CRUTCH TIP
PART#:RP005CF
COLOR:.....BLK/GRY
SUITS LEG OD:.....22MM
SIZE:22MM



22MM RUBBER CRUTCH TIP
PART#:RP006CF
COLOR:.....BLK/GRY
SUITS LEG OD:.....22MM
SIZE:22MM

VIBRATION MOUNTS



APPLICATIONS: Vibration Mounts are widely used at Cars, Machinery, Home appliances, Electronics, Appliances, Stationary, Computer, and Hardware spare parts, main used as buffers, it can prevent shock, anti-noise etc fuctions.

MATERIALS: Natural Rubber, Neoprene Rubber, EPDM Rubber, RR and custom mataerial available


HARDNESS: From 70 to 80 shore A durometer.

COLORS: Black color


PROPERTY: -40°C to +120°C.

Heavy Duty, Aging resist,


Long-life, Fast and easy assemble





Part No.	A Rubber Dia	B Rubber Height	C Thread Type	E Male Thread Length	F Female Thread depth
DH-RP001VM	8	8	M3	5	
DH-RP002VM	10	10	M5/M4	7	
DH-RP003VM	15	8	M5/M4	10	4
DH-RP004VM	15	16	M5/M4	10	4
DH-RP005VM	20	10	M6	10/18	6
DH-RP006VM	20	10	M6	10/18	6
DH-RP007VM	20	20	M6	10/18	6
DH-RP008VM	20	30	M6	10/18	6
DH-RP009VM	20	40	M6	10/18	6
DH-RP010VM	25	10	M6	23	8
DH-RP011VM	25	10	M6	23	8
DH-RP012VM	25	25	M6	23	8





Part No.	A Rubber Dia	B Rubber Height	C Thread Type	E Male Thread Length	F Female Thread depth
DH-RP013VM	25	30	M6	23	8
DH-RP014VM	30	15	M8	23	10
DH-RP015VM	30	20	M8	23	10
DH-RP016VM	30	25	M8	23	10
DH-RP017VM	30	30	M8	23	10
DH-RP018VM	30	35	M8	23	10
DH-RP019VM	32	25	M8	23	10
DH-RP020VM	32	32	M8	23	10
DH-RP021VM	40	20	M8/M10	23/28	10
DH-RP022VM	40	25	M8/M10	23/28	10
DH-RP023VM	40	30	M8/M10	23/28	10
DH-RP024VM	40	40	M8/M10	23/28	10




Part No.	A Rubber Dia	B Rubber Height	C Thread Type	E Male Thread Length	F Female Thread depth
DH-RP025VM	50	20	M10	27	12
DH-RP026VM	50	30	M10	27	12
DH-RP027VM	50	40	M10	27	12
DH-RP028VM	50	45	M10	27	12
DH-RP029VM	50	50	M10	27	12
DH-RP030VM	50	60	M10	27	12
DH-RP031VM	60	35	M12	32	14
DH-RP032VM	60	40	M12	32	14
DH-RP033VM	60	45	M12	32	14
DH-RP034VM	60	50	M12	32	14
DH-RP035VM	60	60	M12	32	14



Part No.	A Rubber Dia	B Rubber Height	C Thread Type	E Male Thread Length	F Female Thread depth
DH-RP036VM	70	40	M12	36	14
DH-RP037VM	70	40	M12	36	14
DH-RP038VM	70	50	M12	36	14
DH-RP039VM	70	55	M12	36	14
DH-RP040VM	70	60	M12	36	14
DH-RP041VM	75	40	M12	36	14
DH-RP042VM	75	50	M12	36	14
DH-RP043VM	75	60	M12	36	14
DH-RP044VM	80	60	M12	36	14
DH-RP045VM	100	40	M16	36	14
DH-RP046VM	100	45	M16	40	20
DH-RP047VM	100	50	M16	40	20
DH-RP048VM	100	55	M16	40	20
DH-RP049VM	100	55	M16	40	20




Part No.	A Rubber Dia	B Rubber Height	C Thread Type	E Male Thread Length	F Female Thread depth
DH-RP050VM	100	90	M16	40	20
DH-RP051VM	120	60	M20/M24	40	20
DH-RP052VM	150	50	M16	40	20
DH-RP053VM	150	75	M16	45	20




Item	Part#	LxWxH(MM)	Spec.	Part weight(g)	MOQ
Air Conditioner Rubber Pads/Mounts	DH-RP001ACRM	113x50x60MM	Rubber 70-80 Shore A M8x20 studs M8 nuts M8 washers	300	5000

GROMMETS



APPLICATIONS: to prevent against sharp edges of holes for cable, wiring, tubing and more. Main used in electronic appliances, furnitures, trucks, tools ,cable industry and more.
Can be Ozone resist, UV resist, Prevent friction, Indoor and outdoor using.

MATERIALS: SBR, NBR, EPDM, Neoprene, FKM, Silicone, or Custom materials.
Hardness: From 30 to 85 shore A durometer.
COLORS: Black, and Custom colors available.
PROPERTY: Aging resist, UV and O-zone resist, Low and High temperature resist, fast assembling, suitable indoor and outdoor use, Depending on materials.



A: Outside diameter
B: Groove diameter
C: Inside diameter
D: Overall thickness
E: Groove thickness



Part No.	Material	OD	Groove Dia	ID	Overall Thick	Groove Thick
DH-RP001RG	SBR/NBR/EPDM/CR	10	6	3.2	6	1.6
DH-RP002RG	SBR/NBR/EPDM/CR	12	8	5	6	2.2
DH-RP003RG	SBR/NBR/EPDM/CR	18	13	8	6	2.2
DH-RP004RG	SBR/NBR/EPDM/CR	26	20	15	6	2.2
DH-RP005RG	SBR/NBR/EPDM/CR	26	20	15	6	2.2
DH-RP006RG	SBR/NBR/EPDM/CR	12.7	9.52	6.35	6.3	2
DH-RP007RG	SBR/NBR/EPDM/CR	15.88	11.11	6.35	4.7	2
DH-RP008RG	SBR/NBR/EPDM/CR	19.05	14.29	11.11	6.3	2
DH-RP009RG	SBR/NBR/EPDM/CR	22.23	15.88	9.52	8	2
DH-RP010RG	SBR/NBR/EPDM/CR	25.4	19.05	12.7	12.5	3.3
DH-RP011RG	SBR/NBR/EPDM/CR	25	16	12	6	3
DH-RP012RG	SBR/NBR/EPDM/CR	25	16	12	9	6
DH-RP013RG	SBR/NBR/EPDM/CR	68.5	59.8	50(blind)	12.2	4
DH-RP014RG	SBR/NBR/EPDM/CR	26.99	20.64	14.29	7.94	1.59

RUBBER TRUCK BUMPERS



APPLICATIONS: Rubber Dock Bumpers are main used to protect docks,trucks,fork lifts,packers,trailers and other places where metal to other surface contact is rough.

They commonly used where metal to metal or concrete to concrete,to prevent abrasion between them.

MATERIALS: Natural Rubber and Reclaimed Rubber,Custom materials SBR,Neoprene,EPDM available.

HARDNESS: From 60 to 90 shore A durometer.


COLORS: Black. Custom colors available

PROPERTY: Heavy duty, Aging resist, Low and High temperature resist(-40°C to +120°C), Abrasion and Vibration resist

RUBBER TRUCK BUMPERS



RUBBER BUMPERS 100X63X32
PART#:RA1006332
LENGTH:100 MM
WIDTH:.....63MM
HEIGHT:.....32MM



RUBBER BUMPERS 145X70X90
PART#:RA1457090
LENGTH:145 MM
WIDTH:.....70MM
HEIGHT:.....90MM



RUBBER BUMPERS 152X76X81
PART#:RA1527681
LENGTH:152 MM
WIDTH:.....76MM
HEIGHT:.....81MM




RUBBER BUMPERS 195X64X53
PART#:RA1956453
LENGTH:195 MM
WIDTH:.....64MM
HEIGHT:.....53MM



RUBBER BUMPERS 190X140X95
PART#:RA19014095
LENGTH:190MM
WIDTH:.....140MM
HEIGHT:.....95MM



RUBBER BUMPERS 305X152X70
PART#:RA305X152X70
LENGTH:305MM
WIDTH:.....152MM
HEIGHT:.....70MM



ROUND RUBBER BUMPERS
24(DIA) X 16(H)
PART#:RRB2416
DIAMETER:24 MM
HEIGHT:.....16 MM



ROUND RUBBER BUMPERS
48(DIA) X 45(H)
PART#:RRB4845
DIAMETER:48 MM
HEIGHT:.....45 MM

RUBBER TRUCK BUMPERS



ROUND RUBBER BUMPERS
64(DIA) X 33(H)
PART#:RRB6433
DIAMETER:64MM
HEIGHT:.....33MM



ROUND RUBBER BUMPERS
64(DIA) X 51(H)
PART#:RRB6451
DIAMETER:64MM
HEIGHT:.....51MM



RUBBER BUMPERS 445X40X58
PART#:RA4454058
LENGTH:445MM
WIDTH:.....40MM
HEIGHT:.....58MM



RUBBER BUMPERS 595X100X120
PART#:RA595100120
LENGTH:595MM
WIDTH:.....100MM
HEIGHT:.....120MM



ROUND RUBBER BUMPERS
46(DIA) X 60(H)
PART#:RRB4660
DIAMETER:46MM
HEIGHT:.....60MM



ROUND RUBBER BUMPERS
64(DIA) X 73(H)
PART#:RRB6473
DIAMETER:64MM
HEIGHT:.....73MM




RUBBER BUMPERS 357X88X86
PART#:RA3578886
LENGTH:357MM
WIDTH:.....88MM
HEIGHT:.....86MM



RUBBER BUMPERS 348X100X107
PART#:RA348100107
LENGTH:348MM
WIDTH:.....100MM
HEIGHT:.....107MM

RUBBER TRUCK BUMPERS



ROUND RUBBER BUMPERS
64(DIA) X 52(H)
PART#:RRB6452
DIAMETER:64MM
HEIGHT:.....52MM



ROUND RUBBER BUMPERS
100(DIA) X 80(H)
PART#:RRB10080
DIAMETER:100MM
HEIGHT:.....80MM



RUBBER BUMPERS 210X50X55
PART#:RA2105055
LENGTH:210MM
WIDTH:.....50MM
HEIGHT:.....55MM



RUBBER BUMPERS 195X80X80
PART#:RA1958080
LENGTH:195MM
WIDTH:.....80MM
HEIGHT:.....80MM




RUBBER BUMPERS 120X75X87
PART#:RA1207587
LENGTH:120MM
WIDTH:.....75MM
HEIGHT:.....87MM



RUBBER BUMPERS 245X80X90
PART#:RA2458090
LENGTH:245MM
WIDTH:.....80MM
HEIGHT:.....90MM



RUBBER BUMPERS 325X250X100
PART#:RA325250100
LENGTH:325MM
WIDTH:.....250MM
HEIGHT:.....100MM



RUBBER BUMPERS 330X300X100
PART#:RA330300100
LENGTH:330MM
WIDTH:.....300MM
HEIGHT:.....100MM



上海德环实业有限公司

SHANGHAI DEHUAN INDUSTRY CO.,LTD

Tel:+86-(0)21-58109067

Fax:+86-(0)21-68316216

Email:allenhu@dehuangroup.com

Add:No.805-808,Building3,Lianhang Road 1505,Minhang District, Shanghai,P.R.China 201100